



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Yu-Chong TAI et al.

Title:

Microfluidic Devices and Methods with

Electrochemically Actuated Sample Processing

Appl. No.:

10/603573

Filing Date:

6/24/2003

Examiner:

Noguerola

Art Unit:

1753

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT UNDER 37 CFR §1.56

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

Submitted herewith on Form PTO/SB/08 is a listing of documents known to Applicants in order to comply with Applicants' duty of disclosure pursuant to 37 CFR §1.56.

A copy of each non-U.S. patent document and each non-patent document is being submitted to comply with the provisions of 37 CFR §1.97 and §1.98.

The submission of any document herewith, which is not a statutory bar, is not intended as an admission that such document constitutes prior art against the claims of the present application or that such document is considered material to patentability as defined in 37 CFR §1.56(b). Applicants do not waive any rights to take any action which would be appropriate to antedate or otherwise remove as a competent reference any document which is determined to be a *prima facie* art reference against the claims of the present application.

The USPTO has waived the requirement under 37 CFR 1.98(a)(2)(iii) to submit copies of cited pending applications which are stored in the USPTO's Image File Wrapper (IFW) system. Applications filed on or after June 30, 2003, and international applications that have entered the national stage on or after June 30, 2003, have been or are being scanned into the IFW system. Accordingly, copies of these types of documents are not being supplied in connection with this

application. Reference is being made to OG Notice dated October 19, 2004, Waiver of the Copy Requirement in 37 CFR 1.98 for Cited Pending U.S. Patent Applications.

TIMING OF THE DISCLOSURE

The listed documents are being submitted in compliance with 37 CFR §1.97(b, before the mailing date of the first Office Action on the merits.

RELEVANCE OF EACH DOCUMENT

All of the documents are in English.

Applicants respectfully request that each listed document be considered by the Examiner and be made of record in the present application and that an initialed copy of Form PTO/SB/08 be returned in accordance with MPEP §609.

The Commissioner is hereby authorized to charge any additional fees which may be required regarding this application under 37 CFR §§ 1.16-1.17, or credit any overpayment, to Deposit Account No. 19-0741. Should no proper payment be enclosed herewith, as by a check being in the wrong amount, unsigned, post-dated, otherwise improper or informal or even entirely missing, the Commissioner is authorized to charge the unpaid amount to Deposit Account No. 19-0741.

Respectfully submitted,

FOLEY & LARDNER LLP

Customer Number: 22428

Telephone: Facsimile:

(202) 672-5351

(202) 672-5399

Steven Rutt

Attorney for Applicant Registration No. 40,153

MODIFIED PTO/SB/08 (08-00)

Approved for use through 10/31/2002. OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control

numbe Substitute for form 1449B/PTO Complete if Known 10/603,573 FORMATION DISCLOSURE **Application Number** 2015 STATEMENT BY APPLICANT **Filing Date** 06/24/2003 **First Named Inventor** Yu-Chong TAI e Submitted: August 11, 2005 **Group Art Unit** 1753 e as many sheets as necessary) **Examiner Name** Unassigned **Attorney Docket Number** 049411-0248

3

of

U.S. PATENT DOCUMENTS								
		U.S. Patent D	ocument		Date of Publication of	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear		
Examiner Initials*	Cite No. ¹	Number	Kind Code ² (if known)	Name of Patentee or Applicant of Cited Document	Cited Document MM-DD-YYYY			
	B1	09/442,843		Tai et al.	11-18-1999			
	B2	2003-0008192	A1	Tai et al.	01-09-2003			
-	В3	2003-0228411	A1	Tai et al.	12-11-2003			
	B4	2004-0237657	A1	Tai et al.	12-02-2004			
	B5	2005-0051489	A1	Tai et al.	03-10-2005			
	B6	4,402,817		Maget	09-06-1983			
	B7	4,687,423		Maget et al.	08-18-1987			
	B8	5,994,696		Tai et al.	11-30-1999			
	B9	6,162,367		Tai et al.	12-19-2000			
	B10	6,240,962	B1	Tai et al.	06-05-2001			
	B11	6,436,229	B2	Tai et al.	08-20-2002			
	B12	6,520,753	B1	Grosjean et al.	02-18-2003			
	B13	6,709,604	B2	Tai et al.	03-23-2004			
	1							

			-	FC	DREIGN PATENT DOCUMEN	TS		
Examiner Initials*	Cite No. ¹			Ocument Kind Code ⁵ (if known)	Name of Patentee or Applicant of Cited Documents	Date of Publication of Cited Document MM-DD-YYYY	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	Т
								\Box
								.]

	NON PATENT LITERATURE DOCUMENTS						
Examiner Initials*	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.) date, page(s), volume-issue number(s), publisher, city and/or country where published.					
	B14	BÖHM, et al., "A closed-loop controlled electrochemically actuated micro-dosing system," J. Micromech., Microeng. Vol. 10, pp. 498-504, (2000).					
	B15	CAMERON et al., "Electrolytic actuators: Alternative, high performance, material-based devices," PNSA, Vol. 99, No. 12, pp. 7827-7831, (June 11, 2002).					
	B16	CHEN et al., "A Planar Electroosmotic Micropump," Journal of Microelectromechanical Systems, Vol. 11, No. 6, pp. 672-683, (December 2002).					
	B17	CHEN et al., "Generating high-pressure sub-microliter flow rate in packed microchannel by electroosmotic force: potential application in microfluidic systems," Sensors and Actuators B 88, pp. 260-265, (2003).					

Examiner Signature		Date Considered	

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Unique citation designation number. ²See attached Kinds of U.S. Patent Documents. ³Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document.

Skind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. Applicant is to place a check mark here if English language Translation is attached.

MODIFIED PTO/SB/08 (08-00)

Approved for use through 10/31/2002. OMB 0651-0031
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control

	Substitute for form	1449B/	/PTO		Complete if Known		
	INFORMATION DIS	SCLO	SURE	Application Number	10/603,573		
	STATEMENT BY A	PPLI	CANT	Filing Date	06/24/2003		
	Data Cubmittad: Aug		1 2005	First Named Inventor	Yu-Chong TAI		
	Date Submitted: Aug	just i	1, 2005	Group Art Unit	1753		
	(use as many sheets	as ne	cessary)	Examiner Name	Unassigned		
Sheet	2	of	3	Attorney Docket Number	049411-0248		

-		NON PATENT LITERATURE DOCUMENTS	
Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.) date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ⁶
	B18	DASGUPTA et al., "Electroosmosis: A Reliable Fluid Propulsion System for Flow Injection Analysis," Analytical Chemistry, Vol. 66, No. 11, pp. 1792-1798, (June 1, 1994).	
	B19	HARRIS, et al., "Shrinking the LC Landscape", Analytical Chemistry, pp. 65A-69A (Feb. 1, 2003).	
	B20	KÄMPER et al., "A Self-Filling Low-Cost Membrane Micropump," International conference on Micro Electro Mechanical Systems, pp. 432-437, (January 1998).	1. 30) 3001
	B21	LAURELL et al., "Miniaturization is mandatory unraveling the human proteome," Proteomics, Vol. 2, pp. 345-351, (2002).	F.A. \$5 11
	B22	LAZAR et al., "Multiple Open-Channel Electroosmotic Pumping System for Microfluidic Sample Handling," Analytical Chemistry, Vol. 74, No. 24, pp. 6259-6268, (December 15, 2002).	
····	B23	LEE et al., "Solvent Compatibility of Poly(Dimethylsiloxane)-Based Microfluidic Devices," Analytical Chemistry, Vol. 75, No. 23, pp. 6544-6554, (December 1, 2003).	
	B24	LEE et al., "Fabrication and in vitro test of a microsyringe," Sensors and Actuators 83, pp. 17-23, (2000).	
	B25	LICKLIDER et al., "A Micromachined Chip-Based Electrospray Source for Mass Spectrometry," Analytical Chemistry, Vol. 72, No. 2, pp. 367-375, "January 15, 2000).	
	B26	MOORE et al., "A Microscale Electrospray Interface Incorporating a Monolithic, Poly(styrene-divinylbenzene) Supporting for On-Line Liquid Chromatography/Tandem Mass Spectrometry Analysis of Peptides and Proteins," Analytical Chemistry, Vol. 70, No. 23, pp. 4879-4884, (December 1, 1998).	
-	B27	MUNYAN et al., "Electrically actuated, pressure-driven microfluidic pumps," Lap on a Chip, Vol. 3, pp. 217-220, (2003).	
	B28	NEAGU et al., "An electrochemical active valve," Electrochimica Acta, Vol. 42, No. 20-22, pp. 3367-3373, (1997).	
	B29	NEAGU et al., "An Electrochemical Microactuator: Principle and First Results," Journal of Microelectromechanical Systems, Vol. 5, No. 1, pp. 2-9	
	B30	NGUYEN et al., "MEMS - Micropumps: A Review," Transactions of the ASME, Vol. 124, pp. 384-392, (June 2002).	
	B31	PARK et al., "A Piezoelectric Micropump Using Resonance Drive with High Power Density," JSME International Journal, Series C, Vol. 45, No. 2, pp. 502-509, (2002)	
	B32	PAUL et al., "Electrokinetic Generation of High Pressures Using Porous Microstructures," Micro Total Analysis Systems, pp. 49-52, (October 1998).	

	Dete	
Examiner	Date	
Signature	Considered	

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Unique citation designation number. ²See attached Kinds of U.S. Patent Documents. ³Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶Applicant is to place a check mark here if English language Translation is attached.

MODIFIED PTO/SB/08 (08-00) or use through 10/31/2002 OMB 0651-0031

Approved for use through 10/31/2002. OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

	Substitute f	or form 1449B/PTO		Complete if Known	
	INFORMAT	ION DISCLOSURE	Application Number	10/603,573	
	STATEMEN	IT BY APPLICANT	Filing Date	06/24/2003	
	Date Submitt	ed: August 11, 2005	First Named Inventor	Yu-Chong TAI	
	Date Gabinite	cu. August 11, 2000	Group Art Unit	1753	
	(use as many	sheets as necessary)	Examiner Name	Unassigned	
Sheet	3	of 3	Attorney Docket Number	049411-0248	

		NON PATENT LITERATURE DOCUMENTS	
Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.) date, page(s), volume-issue number(s), publisher, city and/or country where published.	 T [©]
	B33	REICHMUTH et al., "Increasing the performance of high-pressure, high-efficiency electrokinetic micropumps using zwitterionic solute additives," Sensors and Actuators B 92, pp. 37-43, (2003).	
	B34	REYES et al., "Micro Total Analysis Systems. 1. Introduction, Theory, and Technology," Analytical Chemistry, Vol. 74, No. 12, pp. 2623-2636, (June 15, 2002).	
	B35	SCHABMUELLER et al., "Self-aligning gas/liquid micropump," Journal of Micromechanics and Microengineering, Vol. 12, pp. 420-424, (2002).	
	B36	SELVAGANAPATHY, et al., "Bubble-Free Electrokinetic Pumping," Journal of Microelectromechanical Systems, Vol. 11, No. 5, pp. 448-453, (October 2002).	
	B37	SHIH et al., "Surface Micromachined and Integrated Capacitive Sensors for Microfluidic Applications," Transducers, pp. 388-391, (2003).	
	B38	STANCZYK et al., "A Microfabricated Electrochemical Actuator for Large Displacements," Journal of Microelectromechanical Systems, Vol. 9, No. 3, pp. 314-320, (September 2000).	
	B39	SUZUKI et al., "A reversible electrochemical nanosyringe pump and some consideration to realize low-power consumption," Sensors and Actuators B 86, pp. 242-250, (2002).	
	B40	TAKAMURA et al., "Low-voltage electroosmosis pump for stand-alone microfluidics devices," Electrophoresis 2003, Vol. 24, pp. 185-192, (2003).	
	B41	WOIAS et al., "Micropumps – summarizing the first two decades," SPIE, Vol. 4560, pp. 39-52, (2001).	
	B42	WU et al., "MEMS flow sensors for nano-fluidic applications," Sensors and Actuators A 89, pp. 152-158, (2001).	
	B43	XIE et al., "An Electrochemical Pumping System for On-Chip Gradient Generation," Analytical Chemistry, Vol. 76, No. 13, pp. 3756-3763, (July 1, 2004).	
	B44	XIE et al., "Electrolysis-Based On-Chip Dispensing System for ESI-MS," International Conference on Micro Electro Mechanical Systems, pp. 443-446, (2003).	
-	B45	ZENG et al., "Fabrication and characterization of electroosmotic micropumps," Sensors and Actuators B-79, pp. 107-114, (2001).	

Examiner Signature		Date Considered	

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

¹ Unique citation designation number. ²See attached Kinds of U.S. Patent Documents. ³Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶Applicant is to place a check mark here if English language Translation is attached.